CENTERS FOR MEDICARE & MEDICAID SERVICES CLINICAL LABORATORY IMPROVEMENT AMENDMENTS CERTIFICATE OF ACCREDITATION

PHYSICIANS LABORATORY LTD 1301 S CLIFF AVENUE SUITE 700 SIOUX FALLS, SD 57105

43D0658888

EFFECTIVE DATE

02/24/2022

EXPIRATION DATE

02/23/2024

LABORATORY DIRECTOR

RAED A SULAIMAN M.D.

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.

CMS CENTERS FOR MEDICAID SERVICES Monique Spruill Monique Spruill, Director

Division of Clinical Laboratory Improvement & Quality

Quality & Safety Oversight Group

Center for Clinical Standards and Quality

157 Certs2_012522

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

LAB CERTIFICATION (CODE) EFFECTIVE DATE

BACTERIOLOGY (110) 06/20/2005
PARASITOLOGY (130) 05/06/2016
VIROLOGY (140) 10/06/2004
CYTOLOGY (630) 11/07/2003



LAB CERTIFICATION (CODE)

EFFECTIVE DATE



FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.

PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.

CLIA ID Number: 43D0658888
PHYSICIANS LABORATORY LTD
1301 S CLIFF AVENUE SUITE 700
SIOUX FALLS, SD 57105

STATE AGENCY ADDRESS AND PHONE NUMBER:

SD DEPT OF HEALTH
OFFICE OF HEALTH CARE FACILITIES LICENSURE & CER
615 E 4TH STREET
PIERRE, SD 57501-1700
(605)773-3694

HOR YORKSTONEAND AREA TO MAKE THE SERVENCE AND THE WALL COMMENTS AND

LABORATORY MAILING ADDRESS: