

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS
PHYSICIANS LABORATORY AT AVERA MCKENNA
1325 S CLIFF AVENUE
SIOUX FALLS, SD 57105

CLIA ID NUMBER
43D0981807

EFFECTIVE DATE

04/29/2022

LABORATORY DIRECTOR

EXPIRATION DATE

RAED A SULAIMAN M.D.

04/28/2024

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon, (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures, provided that the laboratory complies with the requirements of the Act and the regulations promulgated thereunder. This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Montique Spruill
Montique Spruill, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality